












WinTeK Sealing Industrial Co., Ltd.

ADDRESS: No.1-7, Shichuan Rd., Caotun Township, Nantou County 54254, Taiwan R.O.C

TEL: +886 49 231-9788 FAX: +886 49 231-1388 E-MAIL: service@wtk-sealing.com.tw









WEBSITE: www.wtk-sealing.com



ROTARY							
Type	Size	SHAFT	BORE	HEIGHT	Material	PICS	WTK#
PST01	0.781*1.563*0.250	0.781	1.563	0.250	HNBR		WT02881A
	19*35*5	19	35	5	NBR		WT00262A
	24*33*5	24	33	5	NBR		WT00261A
PST05	19*32*6/7	19	32	6/7	HNBR		WT05010A
	20*30*5/6	20	30	5/6	HNBR		WT00264A
	20*32*5/6	20	32	5/6	NBR		WT04635A
	22.2*32*5/6	22.2	32	5/6	NBR		WT04636A
PST05 KIT	20*30*5/6	20	30	5/6	NBR		WT03241A
	29*43*7/7.5	29	43	7/7.5	NBR		WT03241A
PSS05	25*34*5	25	34	5	HNBR		WT00265A
PSS01Y	29*43*7	29	43	7	HNBR		WT05129A

RECIPROCATATE

Type	Size	SHAFT	BORE	HEIGHT	MATERIAL	PICS	WTK#
PS1	22*32*7	22	32	7	NBR / NYLON		WT00260A
	35*50*8	35	50	8	HNBR / NYLON		WT05081A
PS2 (CNB1)	27*44*8.5	27	44	8.5	HNBR / NYLON		WT00091A
PS2 (CNB1W11)	24*40*7	24	40	7	NBR / NYLON		WT00092A
PS2	25*43.8*9	25	43.8	9	HNBR / NYLON		WT05611A
	26*50*8.5	26	50	8.5	HNBR / NYLON		WT05615A
	35*53*8	35	53	8	HNBR / NYLON		WT05082A
PS3	30*48*9	30	48	9	HNBR / NYLON		WT05608A
	44.5*58.6*8.5/9	44.5	58.6	8.5/9	HNBR		WT00102A
PS4	0.984*1.547*0.500	0.984	1.547	0.500	HNBR / NYLON		WT02881A
PS5	24*37*8.5	24	37	8.5	NBR / NYLON		WT04634A
	24*37*8.5	24	37	8.5	HNBR / NYLON		WT05613A
	27.7*39.7*6.4	27.7	39.7	6.4	HNBR / NYLON		WT05132A
	30*42*8	30	42	8	HNBR / NYLON		WT05606A
PS9	24.97*37.54/41.24*4.2/7.4	24.97	37.54/41.24	4.2/7.4	HNBR / NYLON		WT05614A

PS1W	26*41*8.5	26	41	8.5	HNBR / NYLON		WT05554A
	30*51*8.5	30	51	8.5	HNBR / NYLON		WT05563A
PS2W	22*34*8	22	34	8	HNBR / NYLON		WT05077A
	22*38.2*8	22	38.2	8	HNBR / NYLON		WT05076A
	24*38.2*8.5	24	38.2	8.5	HNBR / NYLON		WT05605A
	24*40*8.5	24	40	8.5	HNBR / NYLON		WT05134A
	24*42*8	24	42	8	HNBR / NYLON		WT04994A
	26*36*8	26	36	8	HNBR / NYLON		WT05075A
	26*41*8.5	26	41	8.5	HNBR / NYLON		WT05521B
	26*42.7*8	26	42.7	8	HNBR / NYLON		WT05520A

RECIPROCATATE

Type	Size	SHAFT	BORE	HEIGHT	MATERIAL	PICS	WTK#
PS2W	26*47*8.5	26	47	8.5	HNBR / NYLON		WT04977B
	27*41*8.5	27	41	8.5	HNBR / NYLON		WT05079A
	30*40*3.8/6.3	30	40	3.8/6.3	HNBR / NYLON		WT05269A
	30*46*8	30	46	8	HNBR / NYLON		WT05084A
	30*48*8.5	30	48	8.5	HNBR / NYLON		WT05080A
	32*50*8.5	32	50	8.5	HNBR / NYLON		WT05131A
	35*55*8.5	35	55	8.5	HNBR / NYLON		WT05609A
	35*56*8	35	56	8	HNBR / NYLON		WT05085A
PS4W	25*42.5*12.7	25	42.5	12.7	HNBR / NYLON		WT05130A
	25*43*12.7	25	43	12.7	HNBR / NYLON		WT05619A
	27*45.5*12.7	27	45.5	12.7	HNBR / NYLON		WT05551A
	32*55*12.7	32	55	12.7	HNBR / NYLON		WT05618A
PS6W	25*42.7*7.6	25	42.7	7.6	HNBR		WT05241A
	27*40*7	27	40	7	HNBR / NYLON		WT05612A
	31*47.7*7.5	31	47.7	7.5	HNBR / NYLON		WT05133A
PS7W	30*40*3.8/6.3	30	40	3.8/6.3	HNBR / NYLON		WT05269A
PS8W	25*38/41.3*5.3/9.6	25	38/41.3	5.3/9.6	HNBR / NYLON		WT05553A
	25*38/41.3*5.6/10	25	38/41.3	5.6/10	HNBR / NYLON		WT05564A
PS2AW	28*42*12.5	28	42	12.5	HNBR / NYLON		WT05610A
PS3A	24*42.5*13/14	24	42.5	13/14	HNBR / NYLON		WT05607A
PSAY	24.6*43*29.1	24.6	43	29.1	HNBR / NBR / NYLON		WT05361A
Power Steering Seal Kit							WT05365A